62,51 Index.

Paulsen Nursery And Floral Shop

Chas. Paulsen, Prop.

Minden, Nebraska

Phone 288-J

Located 2 Blocks East of the Water Tower
Just East of the Swimming Pool

1956



Greenhouse

In August, 1949, we bought the Hansen Greenhouse and Floral Shop. We have installed an air circulating gas heating unit, 85,000 B.T.U. which has ultra modern thermostatic control. It gives us an opportunity to study plant growth every day in the year and see blossoms every day. We have many varieties of plants and will be adding more as we get the reory. get the room.

Location

Our Nursery is located 3 blocks east of the C. B. & Q. Depot and just east of the American Legion Swimming Pool; or 3 blocks east of the Courthouse Square and 4 blocks north. It is one block south of Highway 6.

About six acres are set apart for the home and the growing of pursury steel prereprises and other

the growing of nursery stock, perennials, and other plants. We have about forty varieties of shade trees. A few of these are dwarf varieties and can be planted for specimen trees or hedge trees. Some of the large varieties are spreading, others are tall and narrow. They have many colors in the spring and fall and a few are colored in summer. All of them bloom, but the blossoms on some are so small that they are hardly noticeable. Others are a mass of flowers when they bloom.

We also grow annual flowers, cabbage, and to-mato plants and flower seeds.

Below are the names of garden plants that we grow for our customers.

Cabbage -

Copenhagen Market

Cauliflower -

Early Snowball Celery - Cornell No. 19, self bleaching

Egg Plant -

Two varieties

Kale

Lettuce -

Great Lakes

Onion .

Sweet Spanish Yellow Bermuda

Asters Snapdragons Columbine Petunias Pansies Ageratum

Peppers -World Beater California Wonder Early Pimento Hot Large Cherry

Tomatoes -Valiant, red Rutgers, red Mariglobe, red Jubilee, yellow, large, non-acid

Hybrid Tomatoes -Burbeana, early Burpees, hybrid Big Boy

Russell Lupine Salvia Delphinium Sweet William Verbena

Hybrid tomatoes will sell at \$1.00 per dozen. Most of the other plants will sell at 35c, 50c, or 60c a dozen.

Frost Proof Planting of Tomatoes

I use a 16-inch tile spade and slant it so the point will be 3 or 4 inches deep in the ground when the blade is in the ground about one foot and place in it a tomato plant 12 or 14 inches tall. Just let the tip stick out. Step on the ground above it so it will have firm contact. If frost comes and freezes the top rake some of the dirt off from the stem and it will leaf out again. The Hybrid Big Tomato was reported to have withstood about 2 or $2\frac{1}{2}$ degrees of frost in 1953.

Plant Labels, Fertilizers, Etc.

Plant Labels, White Plastic	2 for 5c
Plant Markers	2 for 5c
Plant Stakes, Wood	12 for 10c
Vermiculite	qt. 10c
Peat Moss	qt. 10c
Peat Moss, Plastic Bag	20c
Peat Moss, One-Bushel Sacks	about \$3.00
Vermiculite, Four-Bushels Bags	3.00
Organic Fertilizer, 100 lbs.	5.50
Melorganite or Thrive	
Superthrive Rootstarter	.39
Hyponex	.25

Large Assortment of W. ATLEE BURPEE COMPANY Flower Seeds and Garden Seeds

Landscape Service and Tree Planting

We can generally arrange for this on a few days notice.

Roses

Many of these tearoses are semi-hardy and tender in our climate. Planting the graft three or four inches deeper generally prevents them from freezing too bad. In winter most of them freeze close to the ground, but some of them freeze below the ground and still come up to bloom.

They require a sunny place and plenty of water. If the ground contains manure, watch out for white grubworms.

We recommend peat moss as fertilizer for roses.

Dusting sulphur is safely used for most rose bugs and copper sulphate for ground disease such as fungus.

We have many roses that are not listed.

Hansa, large hardy	\$1.00
F. J. Grootendorst,	perpetual blooming 1.00

Red RosesMulti-ColoredRed RadianceTalismanRed TalismanPresident Hoover

(Continued on Next Page)

Roses (Continued)

noses (C	ontinuea)
Pink Roses	Polyanthas
Editor McFarland	Ideal
Pink Radiance	Gold Salmon
Yellow Roses	*
Golden Dawn	Climbing Roses
Sunburst	White Climbing Beauty
	Red Talisman Paul's Scarlet
White Roses	Taurs Scarres
Caledonia K. A. Victoria	
Each	\$1.00
mı ı ı	1
These are hardy roses	s and patented \$1.50
	Peace \$1.50 to \$2.50
	\$1.50 to \$2.50
	\$1.50 to \$2.50
Dal	hlias
These tubers are	easily grown providing
they get plenty of wa	
Name — Classificati	
	arge\$.50
	.20
	.30
Fairy-Pink, miniature	.20
Milton Cross—Large y	ellow
Virginia Towell—Lave	.35 nder, medium
	per yellow
Yellow Prince-Medium	n
We have large Yellow	and Pink Dahlias.
Price — 2	5c to \$1.00
Ped	onies
Peony, Officinali Rubi	ca Pelna, each \$1.50
(This is the ear)	liest known double and is scarce.)
	ach
	1.00
	1.00
	ow Varieties, each 1.50
We sell Divisions wit	h three to five eyes each. livided every eight or ten
years and need lots of w	ater in the spring and fall
Watering in summer see	ms unnecessary.

Bulbs

Regal Lilies, each\$.25
Tuberous rooted Begonias
Tulips—Double Red10 for 1.00
Tulips—Mixed12 for 1.00
Russian Lilies, each
Dahlias, 30 varieties25 to 1.00
Cannas 2 for .25
Glads25 for 1.00
Tiger Lily25c each, or 5 for 1.00
Star of Bethlehem12 for .50
Grape Hyacinth12 for .50
Chionodoxa Luciliae or
Glory of the Snow100 for 2.50

Gladiolus

Gladioli are by far the most popular garden flower. They grow in either poor or good soil and bloom vigorously providing they get plenty of water. We have over fifty varieties not mentioning our nice ruffled ones. First planting should be about May 1, and continue planting every two weeks until about July 10 for continuous blooming. The latest plantings will bloom just before frost.

Some of our customers buy hundreds of them, others just buy a few of the newer varieties.

_100 for \$4.00 00 for

16 for

3.00

1.00

Mixed Varieties-large

Chrysanthemums

Bloom	Height
September Dawn-Bronze, Medium, 3 in. 2	- 2½ ft.
	½ - 2 ft.
Autumn Light—Light Bronze, Early Button 11	½ - 2 ft.
	2 ft.
	- 2½ ft.
	½ - 2 ft.
Harbinger—Bronze-Yellow, Medium2	-2½ ft.
(Very fine)	
Judith Anderson—Yellow, Medium Button1	- 1½ ft.
	½ - 3 ft.
Pink Dolly—Pink, Late, 2½ in. 2½	½ - 3 ft.
Philadelphia—Wine Red, Medium, 3 in. 21	½ - 3 ft.
Polar Ice—White, Early, 3 in. 11	½ - 2 ft.
Red Burgundy-Bronze-Red, Medium, 21/2 in.	2 ft.
	½ - 2 ft.
Salute—Wine Red, Early, 3 in. 11	½ - 2 ft.
Semi Bronze—Light Bronze, Med., Double 21	½ - 3 ft.
White Dolly-White, Late, 3 in.	4 ft.

CUSHION MUMS

Bronze—2 in., Early, 1½ feet Copper—2 in., Early, 1¼ feet Pink—2 in., Early, 1 foot Red—2 in., Early, 1 foot White—2 in., Early, 1 foot Yellow—2 in., Early, 1 foot

Plant and water each week until buds form, then twice a week. Pinch bud when about 9 inches high so that plant will spread out except for cushion mums which do so without pinching.

Plants sent mail order about May 1st, 10% extra.

Ch	rysanthemums, each	\$.25
5	Mums, your choice	1	.00
12	Mums, our choice (all different)	2	.00

Perennials

Alyssum	
Aquilegia (Columbine)	
Azaleas Molis	
Bleeding Heart	.50 to .75
Baby Breath (2 varieties)	.50 to 1.00
Blue Flax	
Buttercups (2 varieties)	.25 to .35
Chrysanthemums	See List
Creeping Phlox	.75

(Continued on Next Page)

Perennials (Continued)

Candytuft	.35
Coral Bell	.50
Carnation	.50
Daisies—Shasta	
Daisies—English	.25
Delphinium	
Dianthus	25 to .50
Gaillardia	.25
Gypsophilia—Double	.35 to 1.00
Golden Glow	.35
Iris	10 to .50
Lupines	.50
Lily-of-the-Valley	12 for 1.00
Lythrum	
Oriental Poppy	.25
Phlox (4 varieties)	3 for 1.00
Platycodon	
Pyrethrum	25 to .50
Peonies	
Ribbon Grass	.25
Statice	
Sweet William	.25
Sweet Peas—Hardy	
Spiderwort	
Tritoma, Red Hot Poker Plant	.50
Violets	15 to .35
Violas	.20
Weigela	
Bush Pea blue	.50

More Favorable Conditions For Fruit Growing

Up to the present time, summer time has presented us with two problems; namely, dry ground and dry air.

Irrigation was the answer to dry ground, where available. Where not available, cultivation and mulch were partial answers.

Since the Republican River has been dammed, we

are getting more moisture in the air, as the lake behind the dam gets filled up. This moisture in the air will increase considerably, when the wind is in the southwest. The wind will carry considerable moisture northeast for twenty or thirty miles and will at all times be noticeable for about fifty miles. When the wind is straight south, the effect will be felt from the Harlan Lake up to fifty miles north. Instead of that dry, hot southwest wind, we feel the wind many degrees cooler and quite moist for at least twenty-five miles northeast of the Lake.

Since the Tri-County project was put in, I have noted good corn crops from Grand Island to Gothen-

burg and poorer corn east and west of that area.

Many plants collect moisture from the air through their leaves as well as through their roots.

Apples and Other Fruit Trees

We sell about 8 varieties of apples, One these varieties-Whitney Crab-is a carrier of Cedar Rust.

The soil in our country is fine for apples. In some places, the soil may be helped by using one-third of a pound of borax to a tree for boron deficiency. Irrigation is helpful to most varieties when the rainfall is less than thirty-five inches per year. A windbreak on the north often provides a few inches of extra moisture. A windbreak from the southwest will re-duce damage from hot winds.

Anoka Apple

The Anoka apple trees start to bear the second year and produce apples in quantity every year, causing them to be dwarf. These apples are good for pies and canning. The children like them.

Cedar Rust does not bother them. They ripen in

August.

Early Harvest

The well-known harvest apple bears in about six years and bears steadily afterward. Ripens in July.

Yellow Transparent

This is a good canning apple which ripens in August.

Stock on Hand and Prices

The prices in this catalog are generally quoted on standard sizes that we have growing. We often have smaller trees or plants that are cheaper. We also have larger trees which are older and larger and for this reason we quote 25c per foot or \$1.00 per foot, etc. Most of these trees are moved or root cut every two years. That stunts the tree or shrub but it develops a better root system so that it will move with less shock.

The subsoil in this locality is dry for forty or fifty feet down, but we often have three to seven feet of surface moisture. For this reason transplanted shrubs and trees need an adequate supply of water every few days or weeks depending on the rainfall. Trees should receive enough water so that the soil will be moist two or three feet deep every ten days or two weeks. Shallow rooted plants need water more often but the soil will need to be moist only a few inches or a foot deep. Some may even need watering every day or several times a day if the temperature is high. In cooler weather less watering is necessary.

Nearly all trees, shrubs, and plants make much better growth when proper fertilizer is used. Nearly all plants need nitrogen, phosphates, potash, and lime. Legumes need less nitrogen than other plants that we have tested. Outside of nearly all bulbs, large root crops, or deep rooted plants, and celery; few plants respond to potash. Some plants require much lime; other plants require moderate amounts, but it may injure acid loving plants. As far as I know, all plants, shrubs, and trees respond to phosphate fertilizers.

The University of Nebraska has testing facilities for the four elements just mentioned. However, it sometimes happens that these elements are tied up in the soil so that the plants can not use them. The best test is the simple method of buying a sack of fertilizer and applying and checking the results at harvest time in comparison with untreated crops in the same field. Our garden crops respond to fertilizers containing one or more of a dozen other minor elements.

The Borax Company published a sixteen-page pamphlet on boron, showing that much research has been done but very little use has been made of it since 1942.

Three other elements, iron, copper, and zinc, also benefit quite a number of plants.

Acid loving plants may sometimes respond to salt, sulphur, and aluminum compounds from actual tests here, but very little literature is available on the use of these elements.

Plants will often live for years in deficient soil but grow better if they can get all the necessary food required in available form.

Ornamentals

Witch Hazel	\$1.00
Red Leaf Peach	1.00 to 2.00
> Purple Leaf Plum, each	2.00
Betchel's Double Flowering Crab,	each 2.00
>Hopa Flowering Crab, each	2.00
Snow Ball, each	1.00 to 2.50
-Korean Cherries, each	.75
Carragana, each	.50 to 1.00
Hydrangea, each	1.00
Golden Bell, each	
Privet, each	15 to .50
Pussy Willow, each	1.00
Orange Quince	.75
Buddleia (4 varieties)	.50



Bittersweet1.00	to	2.00
Spirea (6 varieties)	to	2.50
Tamarix		1.00
Persimmon, 12 ft10.00	to 1	5.00
Elderberry	to	1.50



Red Bud

Mock Orange1	.00
Barberry	00
Cotoneaster	
Dogwood, red or yellow 1.00 to 2.	.00
Flowering Almond	00
Pride of Dorchester2	.00
Nine Bark	75
High Bush Cranberry1.	00
Lilacs —	
Common100 @ 5	.00
Red1.00 to 2.	.00
White1.00 to 2	
French Double1.00 to 2	.00
~ ************************************	.00
Des Fontaines Double White1.50 to 2	.50
Mdm. LeMoine Double White1.50 to 2	.50
Pres. Loubet Double Purple Red _1.50 to 2.	.50
Red Japanese Maple, 1 foot, up1.00 to 2	.00
Weigela	.75

Fruit Trees

APRICOT

APRIC	COT			
Apricot SeedlingsApricot Moorepark		\$.50	to \$	1.00 1.50
Other apricots are set as such here.	mi-hardy	and	are	sold
APP	LE			,
	E	ach	5	trees
Anoka	\$ -	1 50	- \$	6.00
Early Harvest	Ψ -	1.50	, Ψ	6.00
Delicious Red		1.50		6.00
Delicious Red Duchess Red Yellow Transparent Whitney Crab		1.50	4	6.00
-Vellow Transparent		1.50	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	6.00
Whitney Crab		1.50	<u>11</u> 72	6.00
50 Apple Trees, 2 in. ca	l., each		\$	2.50
√5-N-1 A	PPLE			
This means five diffe on one tree. Each				
CHERRY	— Sour			
	Small M	adium	Т.	orre
Vangag Sweet &	150 C	1 75	Q L	2.00
Kansas Sweet \$ Montmorency	1.50 φ	1.75	Ψ	2.00
Early Richmond	1.50	1.75		2.00
Early Richmond English Morello	1.50	1.75		2.00
Peach—Elberta Polly Peach	TREES	.50	\$ to	1.75 1.25
PEA	R			
	Sn	nall	Me	dium
Clapp's Favorite				
Clapp's Favorite Douglas		1.50	т	1.75
NUT T	REES			
Northern Grov	vn Seedli	ngs		
Walnut		\$1.00	to \$	7.50
Walnut—Thomas			T	3.00
-Pecan				
>Hickory				
Horse Chestnut—small		1.00	per	foot
PLUM	IS			
		nall	Me	dium
Apricot Plum	\$	1.50	\$	1.75
Wauneta		1.50		1.75
~Sapa				1.75
-Superior				1.75
≤ Omaha		1.50		1.75
→Quince, large	\$ 5.00			

GRAPES

Concord	35c	each;	4	for	\$1.00
Niagara				35c	each
→ Warden			~ ~ ~ ~ .	35c	each

Number of Trees and Plants per Acre

Varieties; distance apart—number per acre Apples; $30 \times 30 = \text{Trees } 48$ Apricots $20 \times 20 = \text{Trees } 108$ Cherries, Sour 18 x 18 = Trees 134
Cherries, Sweet 24 x 24 = Trees 75
Grapes 8 x 8 = Vines 680
Peaches 18 x 18 = Trees 134 Pears $26 \times 26 = \text{Trees } 64$ Plums $16 \times 16 = \text{Trees}$ 170 Plums $18 \times 18 = \text{Trees}$ 134 Blackberries 3 x 6 = Bushes 2420 Red Raspberries 3 x 6 = Bushes 2420

SPECIAL BARGAINS

Taxus or Yew, 1 ft. to 2 ft., \$4.00 per Small Norway Maples .50 per Red Maples .2.00 to Tulip Trees, 1ft. to 2 ft., each .75 per Thornless Honey Locust, each .50 per Boxwood .2.00 per White Flowering Dogwood	foot foot foot foot 5.00
Red Oak, 1 ft. to 2 ft.,	foot foot

Wayzata Everbearing Strawberries Bush Type — No Runners

Under intensive irrigation we recommend the Wayzata Bush type divisions above all others. It is the favorite of about 99% of our customers.

The Wayzata is a very large, strong vigorous plant about ten to twelve inches high the second year if it has been well fed and watered. The berries are very large and more uniform than most varieties.

The first bloom is generally the largest berry of the eight on the flower stem. Flowers are carried high making it by far the easiest everbearing to pick.

The seeds are so small that they are hardly noticed. The flavor of the Wayzata is mild and sweet. It is excellent for freezing and requires little sugar when canning.

The Wayzata is perfect flowering needing no other

variety to pollinate it.

It is bush type because only two or three plants: out of a hundred have any runners. Some Wayzata are semi-bush type and sell at a cheaper price as they are propagated from runner stock. These runner plants resemble the Gemzata. We recommend that the plants be set fifteen inches to eighteen inches apart in the row and that the rows be two and one half feet apart.

Plant them a little lower than they grew in the Nursery because the water will wash away the soil between the rows when using intensive irrigation which all everbearing strawberries require.

We prefer irrigation rather than mulch, irrigate on an average every four days except when

the temperature gets up above 100 degrees, then we irrigate every two days soaking the soil eight to twelve inches deep.

In porous soil watering every two days may be necessary. The Wayzata bears a good crop before July first then it takes a two-weeks rest and then starts to bear steadily until the thermometer reaches as low as 25 degrees above zero. Each picking is heavier than the previous one.

In 1946 from July 15 to November 10, we retailed 1,200 quarts of Wayzata Everbearing strawberries, field run, at 50c per quart, from one fifth of an acre. At that rate you could expect \$3,000.00 per acre.

Picking costs were 10c per quart, boxes 11/2c each.

Phosphates are generally needed at the rate of two to four pounds per 100 square feet, mixed with one ounce of urea for extra yield. These should be mixed and worked into the soil. One fourth to one half pound of nitrogen can be added if the soil needs it.

Occasionally a trace of zinc or copper may increase the yield 5 or 10%.

The plants can be planted in hard or loose ground. The advantage of hard ground is that it does not wash as much as the loose ground, and water soaking will generally loosen it.

The Bush Type Wayzata Everbearer is a great labor saver because it is an endless job to keep runners off the runner type strawberries. If the runners are left on, many do nothing but make runners, others start making fair-sized berries but as the runners increase, the berries get smaller and soon get the size of peas.

The Bush Type can be grown three years and then divided or pruned back. In the nursery, we divide every two years and always have large berries. The third year, extra fertilizer will be needed to get big berries, as the plant cannot feed the berries sufficiently. A plant just can't make a lot of runners and produce its best, but if the runners are kept off, most everbearers will produce a fair crop.

am testing Twentieth Century and the Utah Centennial. They are very much alike and may prove about equal to Gemzata, yielding about two-thirds as much as the Bush Type. The Red Rich made a very poor showing here. Perhaps the soil does not suit it.

12	Divisions	<u>\$</u>	3.00	Postpaid
25	Divisions		5.00	Postpaid
50	Divisions		9.50	
100	Divisions	1	18.00	

Cultivation of Bush Type Wayzata

The Bush Type Wayzata Strawberry begins to form buds as soon as it starts to grow. These will blossom and form berries which will ripen if the plant gets water when needed. If the growing plant is dry for five or six days, it will shed its flowers and fruit to protect itself. With a few days of proper watering, it will again be blooming and will continue to produce berries if it has sufficient moisture all of the time.

During July the Wayzata will rest for about two weeks, although some of the plants may have a few ripe or green berries on them. After this rest period, they will bear steadily, increasing in quantity as the plants make more crowns. Plants set early in the spring often have four or five crowns in the fall. Strawberry plants can, however, be set any time during the Summer providing plenty of moisture is made available for them. In white sandy soil one third to one half shade is beneficial to the plants, but in black soil they like full sun.

Strawberry plants generally require shallow hoeing or cultivating as most of their roots are in the upper three inches of soil. We recommend not over one inch deep cultivation near the plant.

The fertilizers generally used for strawberries are small amounts of nitrogen and potash with much more phosphate and lime, except in sandy soil. Many minor elements are also used either as fertilizers, soil conditioners, or grub worm repellers. Perhaps the most important of these is Borax which contains Boron. About twenty pounds of Borax to the acre is recommended for strawberries, apples, pears, cherries, apricots, alfalfa, cabbage, tomatoes, Swiss chard, squash, spinach, radishes, lettuce, kale, eggplants, celery, cauliflower, carrots, Brussels sprouts, and a few other plants. Borax has been found to be toxic to a great many kinds of small grains. Sulphur, arsenate of lead, copper compounds, as well as iron, and zinc often seem to benefit plants, and iodine compounds may give the fruit a better color. We believe that most of these are minor foods or elements, and that much of the soil contains them in suitable quantities. Of course, there are some exceptions.

Strawberries will grow in almost any kind of soil, but better and larger berries can be grown if a few of the needed foods can be provided. Sulphur, lime, and arsenate of lead reduce the number of pests that live in the ground and interfere with the roots of the plants.



Bush Type Wayzata Plant

Early Spring is generally considered the best time to plant strawberry plants. However, some people prefer to start them in the Fall so the plants can get well established before winter. Strawberry plants do not ship well during June, July, and August; therefore, fall planting should start in September.

In growing everbearing strawberries for market, the runners must be cut off or pulled off every week. This induces the plants to bear flowers and larger berries. This extra labor cost of keeping off the runners soon pays the little extra in the initial cost of buying divisions of the Bush Type Varieties. The labor saved in caring for them is, as you can see, another advantage of growing the Bush Type Plants.

SOME OF THIS NURSERY STOCK is in the ground and will be fresh dug.

At The Pioneer Village we planted 25 varieties of shade trees. Next summer you can see them in full leaf while visiting there, as well as many perennial flowers and bulbs we grow.

WHILE WAITING

For your Nursery Stock to be dug and packed, spend some time at the —

Harold Warp Pioneer Village

Showing


Man's Progress from 1830 to 1950

10,000 Items In 12 Buildings On 2 City Blocks

- Including -

Transportation, Power, Plows, Reapers, Threshers, Fire Equipment, Guns, Clocks, Washers, Music, Lighting, Shops, Homes, etc., — all restored.

8 Blocks from the Nursery



Berry Plants

Berries will sometimes grow without much care, but will grow better if conditions are made favorable.

but will grow better if conditions are made favorable.

Moisture and windbreak are very essential.

Moist, fertile soil attracts earthworms which seem to benefit many plants.

I believe our soil is very good but it is often so dry that plants cannot get minerals in soluble forms. Heat, frost, and moisture will often get minerals in soluble form if they are given lots of time.

Pruning may be done in dry weather after the fruit has been picked but many prefer to prune when plants are dormant just before budding in the spring.

If the ground gets hard, common manure will help

If the ground gets hard, common manure will help things grow and make better soil if sufficient water is used. Peat moss and wood ashes, too, are useful.

Raspberries

✓ Latham Red, 6 plants	
Cumberland Black, 6 plants	1.00
Dewberry, 12 plants	1.00
✓Mulberry, each	1.00
Blackberries	
Alfred, 6 plants	1.00
Gooseberries	
Hutton, each	.50
Downing, each	.50
Currants, Red Lake, each	.50

Berry plants are all home grown.

Rhubarb

Canada Red:

No seed stalk, red and very sweet ___2 for \$1.00 MacDonald:

No seed stalk, larger than above 3 for 1.00

Evergreens

Arbor Vitae, 1 to 3 ft.	\$1.00	per	ft.
Arbor Vitae, Compacta	2.00	per	ft.
Pine, Yellow or Ponderosa	1.00	per	ft.
Pine, White	1.50 p	er fo	oot
Pine, Mugho, each	\$3.00	to \$7.	.00
Silver Cedar, often called Silver			
Beauty	1.50	per	ft.
Pathfinder	2.50	per	ft.
Weir Scopulorum	3.00	per	ft.
Blue Heaven	3.00	per	ft.
Irish Juniper, 2 ft.	3.00	each	
Yews	3.00	per	ft.
Swedish Juniper	2.00	per	ft.

Red Cedar, sheared1.	00 per	ft.
(Inverted cone shape, 4 to 6 ft.)		
Norway Spruce and Black Spruce 2.0	00 per	ft.
(The real Christmas trees)		
Douglas Fir2.0	00 per	ft.
Colorado Blue Spruce\$2.50 to \$5.0	00 per	ft.
Grafted Koster Blue Spruce 8.0	00 per	ft.




Virginiana Juniper



Spreaders

Spreaders that are used for foundation plantings are scarce but we have a good supply.

Width	Measure
Sabina Juniper\$1.5) per ft.
Pfitzer Juniper 2.0	
Hetzi Glauca 2.0	per ft.
Bar Harbor Juniper 1.0	per ft.
Waukegan Juniper 1.0	per ft.
Badland Juniper 1.0	per ft.
Admeribles, not over 8 inches high 1 (Are often used for grave covers)	.00 each



Shade Trees
Some of these trees are twenty feet high and we have a limited supply of seedlings. Prices vary according to size and shape and are very reasonable. Our garden crops need windbreak protection as well as good soil and water. Some plants need shade A home is more comfortable both in summer and in winter if the windbreak and shade are adequate. A large list of shade trees offers selections suitable for every home. Some are drouth resistant as the cottonless cottonwood and box elder and beautiful in their place.
Ash\$ 1.00 to \$ 5.00
Chinese Elm
Cottonwood Pirel America White 7 to 6 to 1 27 00
Birch, American White, 5 to 6 ft., each \$5.00-up
Caragana or Siberian Pea Tree1.00
Moline Elm, 10 ft. 7.50-up American Elm, 2 to 3 inches cal. 5.00 to 10.00
Hackberry, 6 to 8 ft2.00
8 to 10 ft. \$4.50; 10 to 12 ft. 7.50
Hackberry, 4 inch cal12.50
Redbud1.00 to 5.00
Pin Oak, 1 to 4 ft., each 1.00
Burr Oak, 1 to 10 ft
Sugar Maple, 8 ft. to 10 ft., each 6.00
Kentucky Coffee Tree, 6 to 8 ft., each 5.00
Honey Locust Moraine, 5 ft., each 4.50
Linden, 4 to 8 ft50 per foot
Maple—Norway, 3 to 8 ft
Maple—Common 1.00 to 15.00
Maple—Red Schwedler's, each 5.00
Mountain Ash, 6 to 8 ft., each 5.00 Poplar—Lombardy, 7 ft. and down Up to .50
Poplar—Lombardy, 10 ft., each1.00
Poplar—Silver
Poplar—Bolleana, up to 6 ft., per foot
Over 6 ft., per foot20
Walnut—Black2.50
Weeping Willow—Yellow, per foot50
Sycamore, 10 to 12 ft., each 15.00 Small size, 3 ft., each 2.00
Broad Leafed Evergreens
Abelia, Grandiflora, Glossy, each \$1.00
Kahmi Alatifolia, Mountain Laurel, each 1.25
Boxwood, each 2.00
Boxwood, small5 for 1.00 Pachysandra Terminatis, each25 to .50
Mahonia Aquifolum, each1.00 to 2.00
Oregon Grape Holly, each
Euonymus, Radicans Vegetus, Medium, each
Azelia Molus, (Hardy here, but sheds its
leaves) each50
Pyracantha

Most of these plants need some peat moss.

Hedge Plants

Privet, per 100\$10.00 to \$20.00 Cotoneaster, per 10050
Gnilla Maple, each
Barberry25 to 2.00
Pussy Willow
Poplar—Lombardy, 5 ft. to 6 ft
Poplar—Bolleana, 15c per ft.; large 20c per ft.
Lilac Double each
Lilac—Common, per 100 10.00 Lilac—Double, each 2.00

Vines

Trumpet Vine Climbing Rambler Bittersweet Clematis

Engelmann's Creeper Silver Lace Vine Wisteria

Cuttings for Planting

\$1.00 per 100

Lombardy Poplar Cuttings can often grow without irrigation, but under irrigation they can grow seven feet tall in one year. If you wish to grow them without irrigation, summer fallowed soil is by far the most satisfactory.

With experience you can grow many trees from

cuttings.

Golden Chain Tree \$1.00 to \$2.00
White Dodwood, 3 ft. to 5 ft., each 5.00
Pharchysandra Terminalis—Spurge
Growncover
White Oak, 1 ft., each
Pin Oak Per ft75
Scotch Pine, 1 ft. to 2 ft. Per ft. 1.00
Norway Spruce, 6 in. to 12 in., each
White Pine, 1 ft. to 3 ft., each
Arbor Vitae, Pyramid, 4 ft.,1.50 per foot
Ponderosa Pine, 1 ft. 1.00 per foot
Rhododendron
Holly
Magnolia, 3 ft. to 4 ft. 7.50
Abelia Grandiflora1.00
Euonymus, Radicans Vegetus, Medium1.50
Lilac, Fr. Pres. Grevy2.00
Willow, Weeping, Niobe1.00
Syringa, Vul Chas Joly2.00
Syringa, Vul Mad Abel Chatenay 2.00
Juniper, Sabina 2.00
Pine, Scotch, Pinus Sylvestris 1.00 per foot
Pine, White, Pinus Strobus1.00 per foot
Arbor Vitae, Thuja Orientalis 2.00
Juniper, Virginalis, Dark Green5.00
Juniper, Chinesis Pfitzeriana Auera 2.00
Juniper, Virg. Hilli 2.00 per foot
Por 1000

Mahonia Aquifolium	1.00
Moraine Locust	5.00
Virbinium T. Plicatum	1.00
Lake City Elm, 6 ft	foot
Minneapolis Elm, 8 to 10 ft.	
Vace Elm, 8 to 10 ft.	6.00
Euonymus Patens1.50 to	5.00
Boxwood	2.00
Sour Wood	_
Sweet Gum1.00 to	2.50
Dog Wood, White Flowering, 3 ft.	

Plant Foods Must Be Soluble

1.	Nitrogen	12.	Cobalt	23.	Lead
2.	Phosphorus	13.	Manganese		Aluminum
	Potassium		Iodine	25.	Selenium
4.	Calcium	15.	Zinc		Copper
	Magnesium	16.	Chlorine		Tin
	Sulphur	17.	Arsenic	28.	Barium
	Sodium	18.	Silica		Strontium
	Iron	19.	Oxygen		Molybdenum
	Boron	20.	Hydrogen		Zirconium
	Carbon	21.	Silver		Titanium
11.	Urea	22.	Nickel		Vanadium

Different kinds of plants require plant foods that are different. For example, the bean family; some varieties require much lime and other varieties grow well with little lime. Some varieties like water in large quantities, other varieties like a moderate amount.

Earthworms will kill blueberries but seem to benefit most plants.

Mushrooms can grow without any light, most plants cannot do so.

I have heard of different kinds of strawberries growing from Mexico to within the Arctic Circle.

American Association of Nurserymen

The American Association of Nurserymen includes over 1,400 nurserymen from the United States and Canada and perhaps a few associate members. I joined this association as a member several years ago.

Our aim is to beautify America and make it fruitful. We also exchange ideas, seeds, plants, etc.

Nebraska has about a dozen members. We will help you in various ways to make the Parks and Roadsides more beautiful as well as planting orchards and landscaping your home whether in town or in the country.

Our first job is to gather seed and see that it is correctly labeled and of good quality. Seed collectors help collect and distribute the seed but the growing is done exclusively by nurserymen who specialize in growing seedlings. Some of these we sell, others we transplant one or more times and sell them as trees. Sometimes we find marked variations in foliage or fruit. When we consider these variations of value, we propagate by root or twig cutting, other times by budding or grafting. Then these grafts are shaded and watered as needed and transplanted to grow larger until they are ready for sale. These trees are generally transplanted when one year old or root-cut every two years. That system forms a compact root system that can be transplanted much more readily than a seedling tree that has never been transplanted.

PAULSEN NURSERY AND FLORAL SHOP Minden, Nebraska



U. S. DEPARTMENT OF AGRICULT OFFICIAL BUSINESS LIBRARY WASHINGTON 25, D. C.

WASHINGTON 26, D. C.

PRINTED MATTER